



**Homeland  
Security**

# Daily Open Source Infrastructure Report

## 15 July 2015

### **Top Stories**

- Portions of Highway 60 and businesses within a half-mile of Santie Wholesale Oil in Sikeston, Missouri were evacuated for several hours July 13 after a fire caused hundreds of propane cylinders to explode. – *KFVS 12 Cape Girardeau* (See item [1](#))
- Bank and police officials confirmed July 12 that ATM skimming devices were discovered at six Sunflower, INTRUST, and Fidelity Bank locations in Wichita and two Sunflower Bank locations in Salina. – *Wichita Eagle* (See item [6](#))
- A Naples man pleaded guilty July 13 to an investment fraud scheme in which he allegedly used false assurances and fake documentation to solicit over \$7 million from about 96 investors. – *Fort Myers News-Press* (See item [7](#))
- Adobe released patches addressing two critical use-after-free vulnerabilities in ActionScript 3 revealed in data dumped from a recent breach of the Italian surveillance software company Hacking Team. – *Threatpost* (See item [16](#))

---

### **Fast Jump Menu**

#### **PRODUCTION INDUSTRIES**

- [Energy](#)
  - [Chemical](#)
  - [Nuclear Reactors, Materials, and Waste](#)
  - [Critical Manufacturing](#)
  - [Defense Industrial Base](#)
  - [Dams](#)
- #### **SUSTENANCE and HEALTH**
- [Food and Agriculture](#)
  - [Water and Wastewater Systems](#)
  - [Healthcare and Public Health](#)

#### **SERVICE INDUSTRIES**

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

#### **FEDERAL and STATE**

- [Government Facilities](#)
- [Emergency Services](#)

## Energy Sector

1. ***July 14, KFVS 12 Cape Girardeau*** – (Missouri) **Sikeston oil fire still too hot for investigators to determine cause.** Portions of Highway 60 and businesses within a half mile of Santie Wholesale Oil in Sikeston, Missouri were evacuated for several hours July 13 after a fire caused hundreds of propane cylinders to explode. No civilian injuries were reported, and an investigation into the cause of the fire began July 14.  
Source: <http://www.wtvm.com/story/29534370/hwy-60-re-opens-after-large-fire-in-sikeston>
2. ***July 14, WRTV 6 Indianapolis*** – (Indiana) **Thousands without power in central Indiana following Monday storms.** More than 58,000 Indianapolis Power & Light and Duke Energy customers were without power after severe storms hit Central Indiana July 13.  
Source: <http://www.theindychannel.com/weather/20000-without-power-in-central-indiana-following-first-round-of-monday-storms>
3. ***July 14, Associated Press*** – (West Virginia) **Storms leave more than 29,000 in W. Va. without electricity.** Appalachian Power crews were working to restore service to 29,000 customers in southern West Virginia following severe thunderstorms July 13.  
Source: [http://www.wvah.com/template/inews\\_wire/wires.regional.wv/224a3d29-www.wvah.com.shtml#.VaULT\\_lVhBc](http://www.wvah.com/template/inews_wire/wires.regional.wv/224a3d29-www.wvah.com.shtml#.VaULT_lVhBc)
4. ***July 13, California Air Resources Board*** – (California) **Tesoro Corp. fined \$1 million for violating California's gasoline regulation.** The California Air Resources Board announced July 13 that over \$1 million in fines were paid by Tesoro Corporation for 4 violations of California's fuel requirements over a period of 52 days.  
Source: <http://www.arb.ca.gov/newsrel/newsrelease.php?id=742>

## Chemical Industry Sector

Nothing to report

## Nuclear Reactors, Materials, and Waste Sector

Nothing to report

## Critical Manufacturing Sector

5. ***July 13, U.S. Department of Labor*** – (Texas) **With long history of violations, El Paso, Texas, company faces more than \$321K in Federal fines.** The Occupational Safety and Health Administration issued El Paso-based D&D Manufacturing Inc., July 13 with 13 citations for exposing workers to amputations and other serious injuries from unsafe machinery, among other violations. Proposed penalties exceed \$321,000.  
Source:  
[https://www.osha.gov/pls/oshaweb/owadisp.show\\_document?p\\_table=NEWS\\_RELEASES&p\\_id=28260](https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=28260)

## **Defense Industrial Base Sector**

Nothing to report

## **Financial Services Sector**

6. ***July 14, Wichita Eagle*** – (Kansas) **More ATM skimmers found in Wichita, at three Intrust Bank locations.** Bank and police officials confirmed July 12 that ATM skimming devices were discovered at six Sunflower, INTRUST, and Fidelity Bank locations in Wichita and two Sunflower Bank locations in Salina in July. Authorities believe the suspects are part of an organized gang.  
Source: <http://www.kansas.com/news/local/article27172321.html>
7. ***July 13, Fort Myers News-Press*** – (Florida) **Naples man pleads guilty to \$7M wire fraud scheme.** A Naples man pleaded guilty July 13 to an investment fraud scheme in which he allegedly used false assurances and fake documentation to solicit over \$7 million from about 96 investors, which he used to pay other investors and diverted for personal expenses.  
Source: <http://www.news-press.com/story/news/crime/2015/07/13/naples-man-pleads-guilty-to-7m-wire-fraud-scheme/30090453/>
8. ***July 13, Reuters*** – (New York) **Ex-NY Assembly speaker's son-in-law admits to defrauding investors.** The co-owner of New York-based Allese Capital LLC pleaded guilty July 13 to operating a Ponzi scheme in which he allegedly defrauded investors out of almost \$6 million from 2007 – 2014 by soliciting securities investments, only a portion of which he actually invested, while using the rest to repay other investors and for personal expenses.  
Source: <http://www.reuters.com/article/2015/07/13/usa-new-york-silver-fraud-idUSL2N0ZT1Z820150713>

## **Transportation Systems Sector**

9. ***July 13, Cincinnati Enquirer*** – (Kentucky) **Flights resume at CVG after power outage.** Both arrivals and departures resumed normally at the Cincinnati/Northern Kentucky International Airport July 13 after power outage in the Federal Aviation Administration tower caused more than 50 departures and nearly 70 arrivals to be delayed for as long as 2 hours.  
Source: <http://www.cincinnati.com/story/news/2015/07/13/cvg-delays-cincinnati-airport-northern-kentucky/30104345/>
10. ***July 13, WCBS 2 New York City*** – (New Jersey) **Route 17 lanes in Paramus reopen after car crash knocks down utility pole.** A stretch of Route 17 in Paramus was completely shut down overnight July 13 after a car crashed into a utility pole and caught on fire. No injuries were reported and crews are working to clear the scene.  
Source: <http://newyork.cbslocal.com/2015/07/13/paramus-utility-pole-car-crash/>

For another story, see item [1](#)

## **Food and Agriculture Sector**

11. ***July 14, Food Safety News*** – (National) **Recall expanded of frozen, raw stuffed chicken products.** Barber Foods, a Portland, Maine establishment, expanded its recall July 13 to 1.7 million pounds of frozen, raw stuffed chicken products due to possible salmonella contamination. The product was produced from February – May and distributed to Sam’s Club nationwide.  
Source: <http://www.foodsafetynews.com/2015/07/barber-foods-recalls-kiev-stuffed-chicken-for-possible-salmonella-contamination/#.VaUKt IVhBc>
12. ***July 13, U.S. Food and Drug Administration*** – (California) **Nectar Foods, Inc. issues allergy alert on undeclared almond in CocoNoNut Cacao-Nectar Bar.** The U.S. Food and Drug Administration reported July 10 that Nectar Foods, Inc., a Portland, Oregon establishment, is recalling 300 CocoNoNut CaCao-Nectar Bars due to an undeclared almond allergen. The product was shipped to retail stores in California.  
Source: <http://www.fda.gov/Safety/Recalls/ucm454653.htm>

## **Water and Wastewater Systems Sector**

13. ***July 14, Brunswick News*** – (Georgia) **Lift station failure causes spill.** A main breaker failure at the Joint Water and Sewer Commission Life station on St. Simons Island caused an estimated 3,500 gallons of wastewater to spill into a storm drain system that led to a catch basin July 11. Crews cleaned the scene with lime and will continue to collect sampling in the area of the spill.  
Source: [http://www.thebrunswicknews.com/news/local\\_briefs/lift-station-failure-causes-spill/article\\_8bcf8dc2-e0c4-5d5a-88ac-e2c1340c09a6.html](http://www.thebrunswicknews.com/news/local_briefs/lift-station-failure-causes-spill/article_8bcf8dc2-e0c4-5d5a-88ac-e2c1340c09a6.html)

For another story, see item [18](#)

## **Healthcare and Public Health Sector**

14. ***July 13, HealthITSecurity*** – (Massachusetts) **Mass. hospital hit with \$200k OCR HIPAA settlement.** The U.S. Department of Health and Human Services Office for Civil Rights announced July 13 a \$218,400 settlement with Brighton, Massachusetts-based St. Elizabeth’s Medical Center in response to potential security violations stemming from a 2012 complaint citing internet-based document sharing applications used by employees to store sensitive information of nearly 500 patients.  
Source: <http://healthitsecurity.com/news/mass.-hospital-hit-with-200k-ocr-hipaa-settlement>

## **Government Facilities Sector**

15. ***July 13, Grand Forks Herald*** – (Minnesota) **School bus crash near Granite Falls injures 16.** Minnesota State Patrol officers are investigating the cause of a head-on collision involving a school bus on U.S. Highway 212 July 13 which injured 16,

including 11 young children being transported from the Tri-Valley Opportunity School to a Head Start Migrant Education Program in Danube, Minnesota.

Source: <http://www.grandforksherald.com/news/region/3796632-school-bus-crash-near-granite-falls-injures-16>

## **Emergency Services Sector**

For another story, see item [22](#)

## **Information Technology Sector**

16. *July 14, Threatpost* – (International) **Flash Player update patches two Hacking Team zero days.** Adobe released patches addressing two critical use-after-free vulnerabilities in ActionScript 3 revealed in data dumped from a recent breach of the Italian surveillance software company Hacking Team. Both flaws allowed an attacker to use a Web site hosting the exploit to completely take over an affected system.  
Source: <https://threatpost.com/flash-player-update-patches-two-hacking-team-zero-days/113776>
  
17. *July 13, Threatpost* – (International) **Kaseya patches two bugs in VSA IT management platform.** Kaseya patched two flaws in its VSA IT management platform, including open redirect vulnerability in which an unauthenticated attacker could redirect users to sites with malicious content, and a path traversal bug in which an authenticated attacker could use a specially crafted Hypertext Transfer Protocol (HTTP) request to traverse directories and download arbitrary files.  
Source: <https://threatpost.com/kaseya-patches-two-bugs-in-vsa-it-management-platform/113760>

## **Internet Alert Dashboard**

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

## **Communications Sector**

Nothing to report

## **Commercial Facilities Sector**

18. *July 14, KBOI 2 Boise* – (Idaho) **Water main break leaves Grove Hotel without water.** An Idaho United Water official reported July 14 that a 37-year-old water main in Boise failed and flooded surrounding areas, prompted area evacuations, and cut off water supply to the Grove Hotel, July 14. Crews are currently working to repair the pipeline.  
Source: <http://www.kboi2.com/news/local/Water-main-break-leaves-Grove-Hotel->

[without-water-314859091.html](#)

19. *July 13, WJXT 4 Jacksonville* – (Florida) **Fire rips through condos leaving dozens homeless.** The Timberwalk Court complex in Ponte Vedra Beach sustained extensive damage following a July 13 fire that left 30 families displaced and destroyed 20 units. Fire crews remained onsite for several hours battling the flames.  
Source: <http://www.news4jax.com/news/fire-causes-evacuation-at-timberwalk-apartments/34127358>
20. *July 13, OregonLive.com* – (Oregon) **Firefighters battling large apartment fire on Southeast 121<sup>st</sup> Avenue.** A 2-alarm fire displaced 29 residents at the Hidden Court Apartments in Portland after the flames spread to the second floor of the 70-unit complex July 13. The cause of the fire is unknown and 4 residents, 1 with life-threatening wounds, were injured in the incident.  
Source:  
[http://www.oregonlive.com/portland/index.ssf/2015/07/firefighters\\_battling\\_large\\_ap.h\\_tml](http://www.oregonlive.com/portland/index.ssf/2015/07/firefighters_battling_large_ap.h_tml)
21. *July 13, KABC 7 Los Angeles* – (California) **Brush fire erupts on State Route 241 near Irvine Lake; campgrounds evacuated.** A July 13 bush fire prompted the evacuation of up to 15 people at campgrounds near Irvine Lake, California. No injuries were reported and the cause of the fire is unknown.  
Source: <http://abc7.com/news/brush-fire-erupts-on-state-route-241-near-irvine-lake/848365/>
22. *July 13, WNBC 4 New York City* – (New York) **2 men stole over \$1M in Long Island Jewelry Heist: police.** New York police arrested 2 men July 11 after the men allegedly broke into a Long Island Tiffany and Company store and stole jewelry items worth over \$1 million. No injuries were reported and the investigation is ongoing.  
Source: <http://www.nbcnewyork.com/news/local/NY-Police-Arrest-Men-Tiffany-Co-Jewelry-Heist-Million-Dollars--314757141.html>

## **Dams Sector**

Nothing to report



**Department of Homeland Security (DHS)**  
**DHS Daily Open Source Infrastructure Report Contact Information**

**About the reports** - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

**Contact Information**

Content and Suggestions:

Send mail to [cikr.productfeedback@hq.dhs.gov](mailto:cikr.productfeedback@hq.dhs.gov) or contact the DHS Daily Report Team at (703) 942-8590

Subscribe to the Distribution List:

Visit the [DHS Daily Open Source Infrastructure Report](#) and follow instructions to [Get e-mail updates when this information changes](#).

Removal from Distribution List:

Send mail to [support@govdelivery.com](mailto:support@govdelivery.com).

---

**Contact DHS**

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at [nicc@hq.dhs.gov](mailto:nicc@hq.dhs.gov) or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at [soc@us-cert.gov](mailto:soc@us-cert.gov) or visit their Web page at [www.us-cert.gov](http://www.us-cert.gov).

**Department of Homeland Security Disclaimer**

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.